

| WEEK | studia niestacjonarne | 2024/25 | Kurs/sem | Elektryczność / Automatyka | EDA-4 | Rok | IV | Semestr | 7 |
|------|---|------------|------------|--|---|------------|------------|------------|------------|
| 8.1 | Emulacja techniki pomiarów, W dr inż. A. Ziemczak, 40 godzin | 15.09.2024 | 15.09.2024 | Systemy sterowania obiektami sterowanymi, W dr inż. P. Albrechtowski, 40 godzin | Emulacja techniki pomiarów, W dr inż. A. Ziemczak, 40 godzin | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.2 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.3 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.4 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.5 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.6 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.7 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.8 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.9 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.10 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.11 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.12 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.13 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.14 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.15 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.16 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.17 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.18 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.19 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.20 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.21 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.22 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.23 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.24 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.25 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.26 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.27 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.28 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.29 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.30 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.31 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.32 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.33 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.34 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.35 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.36 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.37 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.38 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.39 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.40 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.41 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.42 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.43 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.44 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.45 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.46 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.47 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.48 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.49 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.50 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.51 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.52 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.53 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.54 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.55 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.56 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.57 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.58 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.59 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.60 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.61 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.62 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.63 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.64 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.65 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.66 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.67 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.68 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.69 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |
| 8.70 | | | | | | 15.09.2024 | 15.09.2024 | 15.09.2024 | 15.09.2024 |

| Week | W1-C1, P1, W1-L1,2 | aktualizacja 10/09/2024 |
|------|---|---|
| 8.1 | Emulacja techniki pomiarów, W dr inż. A. Ziemczak, 40 godzin | Emulacja techniki pomiarów, W dr inż. A. Ziemczak, 40 godzin |
| 8.2 | | |
| 8.3 | | |
| 8.4 | | |
| 8.5 | | |
| 8.6 | | |
| 8.7 | | |
| 8.8 | | |
| 8.9 | | |
| 8.10 | | |
| 8.11 | | |
| 8.12 | | |
| 8.13 | | |
| 8.14 | | |
| 8.15 | | |
| 8.16 | | |
| 8.17 | | |
| 8.18 | | |
| 8.19 | | |
| 8.20 | | |
| 8.21 | | |
| 8.22 | | |
| 8.23 | | |
| 8.24 | | |
| 8.25 | | |
| 8.26 | | |
| 8.27 | | |
| 8.28 | | |
| 8.29 | | |
| 8.30 | | |
| 8.31 | | |
| 8.32 | | |
| 8.33 | | |
| 8.34 | | |
| 8.35 | | |
| 8.36 | | |
| 8.37 | | |
| 8.38 | | |
| 8.39 | | |
| 8.40 | | |
| 8.41 | | |
| 8.42 | | |
| 8.43 | | |
| 8.44 | | |
| 8.45 | | |
| 8.46 | | |
| 8.47 | | |
| 8.48 | | |
| 8.49 | | |
| 8.50 | | |
| 8.51 | | |
| 8.52 | | |
| 8.53 | | |
| 8.54 | | |
| 8.55 | | |
| 8.56 | | |
| 8.57 | | |
| 8.58 | | |
| 8.59 | | |
| 8.60 | | |
| 8.61 | | |
| 8.62 | | |
| 8.63 | | |
| 8.64 | | |
| 8.65 | | |
| 8.66 | | |
| 8.67 | | |
| 8.68 | | |
| 8.69 | | |
| 8.70 | | |

| Week | W1-C1, P1, W1-L1,2 | aktualizacja 10/09/2024 |
|------|---|---|
| 8.1 | Emulacja techniki pomiarów, W dr inż. A. Ziemczak, 40 godzin | Emulacja techniki pomiarów, W dr inż. A. Ziemczak, 40 godzin |
| 8.2 | | |
| 8.3 | | |
| 8.4 | | |
| 8.5 | | |
| 8.6 | | |
| 8.7 | | |
| 8.8 | | |
| 8.9 | | |
| 8.10 | | |
| 8.11 | | |
| 8.12 | | |
| 8.13 | | |
| 8.14 | | |
| 8.15 | | |
| 8.16 | | |
| 8.17 | | |
| 8.18 | | |
| 8.19 | | |
| 8.20 | | |
| 8.21 | | |
| 8.22 | | |
| 8.23 | | |
| 8.24 | | |
| 8.25 | | |
| 8.26 | | |
| 8.27 | | |
| 8.28 | | |
| 8.29 | | |
| 8.30 | | |
| 8.31 | | |
| 8.32 | | |
| 8.33 | | |
| 8.34 | | |
| 8.35 | | |
| 8.36 | | |
| 8.37 | | |
| 8.38 | | |
| 8.39 | | |
| 8.40 | | |
| 8.41 | | |
| 8.42 | | |
| 8.43 | | |
| 8.44 | | |
| 8.45 | | |
| 8.46 | | |
| 8.47 | | |
| 8.48 | | |
| 8.49 | | |
| 8.50 | | |
| 8.51 | | |
| 8.52 | | |
| 8.53 | | |
| 8.54 | | |
| 8.55 | | |
| 8.56 | | |
| 8.57 | | |
| 8.58 | | |
| 8.59 | | |
| 8.60 | | |
| 8.61 | | |
| 8.62 | | |
| 8.63 | | |
| 8.64 | | |
| 8.65 | | |
| 8.66 | | |
| 8.67 | | |
| 8.68 | | |
| 8.69 | | |
| 8.70 | | |